


AMENDMENTS TO THE CLAIMS, COMPLETE LISTING OF CLAIMS
IN ASCENDING ORDER WITH STATUS INDICATOR

Please amend the following claims as indicated.


1. (Currently Amended) A luminescent compound capable of emitting white light that has a structure represented by formula (1):



wherein R^1 is a hydrogen atom, an alkyl group with 4 to 6 carbon atoms, or an aryl or alkyl-aryl arylalkyl group that may have at least one substituent wherein the aryl group of said arylalkyl group is a substituted or unsubstituted phenyl group, or a substituted or unsubstituted aryl group with 2 to 3 fused rings, wherein when one of R^1 's is a hydrogen atom, the other is not a hydrogen atom, and wherein two R^1 's may be the same except when one R^1 is a hydrogen atom or different from each other; R^2 is a hydrogen atom, an alkyl group, or an aryl or alkyl-aryl arylalkyl group that may have at least one substituent, wherein two R^2 's may be the same or different from each other; and R^1 and R^2 may be the same or different from each other, wherein when two R^1 's are benzyl groups, two R^2 's are not ethyl groups, and

wherein the luminescent compound emits white light upon an application of electromagnetic energy.

2. (Currently Amended) A luminescent compound capable of emitting white light that has a structure represented by formula (2):




wherein R^1 is a hydrogen atom, an alkyl group, or an aryl or ~~alkyl-aryl~~ arylalkyl group that may have at least one substituent, wherein two R^1 's may be the same or different from each other; each of R^3 and R^4 is ~~a hydrogen atom,~~ an alkyl group, or an aryl or ~~alkyl-aryl~~ arylalkyl group that may have at least one substituent, wherein R^3 and R^4 may be the same or different from each other; and two R^3 's may be the same or different, and two R^4 's may be the same or different, and wherein the luminescent compound emits white light upon an application of electromagnetic energy.

Claims 3-15 (Canceled).

16. (Currently Amended) A layered article comprising at least one luminescent compound selected from the group consisting of


(A) a luminescent compound capable of emitting white light that has a structure represented by formula (1):



wherein R^1 is a hydrogen atom, an alkyl group with 4 to 6 carbon atoms, or an ~~aryl or alkyl-aryl~~ arylalkyl group ~~that may have at least one substituent~~ wherein the aryl group of said arylalkyl

group is a substituted or unsubstituted phenyl group, or a substituted or unsubstituted aryl group with 2 to 3 fused rings, wherein when one of R¹'s is a hydrogen atom, the other is not a hydrogen atom, and wherein two R¹'s may be the same except when one R¹ is a hydrogen atom or different from each other; R² is a hydrogen atom, an alkyl group, or an aryl or ~~alkyl-aryl~~ arylalkyl group that may have at least one substituent, wherein two R²'s may be the same or different from each other; and R¹ and R² may be the same or different from each other, and wherein when two R¹'s are benzyl groups, two R²'s are not ethyl groups, and

(B) a luminescent compound capable of emitting white light that has a structure represented by formula (2):



wherein R¹ is a hydrogen atom, an alkyl group, or an aryl or ~~alkyl-aryl~~ arylalkyl group that may have at least one substituent, wherein two R¹'s may be the same or different from each other; each of R³ and R⁴ is a hydrogen atom, an alkyl group, or an aryl or ~~alkyl-aryl~~ arylalkyl group that may have at least one substituent, wherein R³ and R⁴ may be the same or different from each other; and two R³'s may be the same or different, and two R⁴'s may be the same or different, and wherein the luminescent compound emits white light upon an application of electromagnetic energy.

17. (Previously Presented) The layered article according to claim 16, in a form of an organic EL element comprising a substrate, a pair of electrodes, and at least one light-emitting layer sandwiched between the electrodes, wherein said light-emitting layer comprises at least one of said luminescent compound, and wherein one of the electrodes is formed on the substrate.

18. (Previously Presented) The layered article according to claim 16, in a form of an illuminator capable of emitting white light, wherein the illuminator comprises a substrate, a pair

of electrodes, and at least one light-emitting layer sandwiched between the electrodes, wherein said light-emitting layer comprises at least one of said luminescent compound, and wherein one of the electrodes is formed on the substrate.

19. (Previously Presented) The layered article according to claim 18, wherein the illuminator comprises a single light-emitting layer.

20. (Previously Presented) The layered article according to claim 18, wherein the illuminator (1) comprises two or more light-emitting layers, at least one of which comprises said luminescent compound, and (2) further comprises a hole-transporting layer and an electron-transporting layer.

21. (Previously Presented) The layered article according to claim 17, wherein said light-emitting layer is prepared by dispersing said luminescent compound in a high polymer.

22. (Previously Presented) The layered article according to claim 18, wherein said light-emitting layer is prepared by dispersing said luminescent compound in a high polymer.

23. (Previously Presented) The layered article according to claim 17, wherein said light-emitting layer is prepared by depositing said luminescent compound on said substrate.

24. (Previously Presented) The layered article according to claim 18, wherein said light-emitting layer is prepared by depositing said luminescent compound on said substrate.

25. (Previously Presented) The layered article according to claim 17, wherein said article has a planar shape.

26. (Previously Presented) The layered article according to claim 17, wherein said article has a tubular shape.

27. (Previously Presented) The layered article according to claim 18, wherein said article has a planar shape.

28. (Previously Presented) The layered article according to claim 18, wherein said article has a tubular shape.

29. (Previously Presented) The layered article according to claim 19, wherein said article has a planar shape.

30. (Previously Presented) The layered article according to claim 19, wherein said article has a tubular shape.

31. (Previously Presented) The layered article according to claim 20, wherein said article has a planar shape.

32. (Previously Presented) The layered article according to claim 20, wherein said article has a tubular shape.